

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.





AUG 18 2043

# COTTON

## VARIETIES PLANTED

### 1959 - 1963

LIBRARY  
PLANT VARIETY PROTECTION OFFICE  
U. S. DEPARTMENT OF AGRICULTURE



**UNITED STATES DEPARTMENT OF AGRICULTURE**  
**Agricultural Marketing Service    Cotton Division**  
**Memphis, Tennessee**



# CONTENTS

	Table No.	Page No.
Introduction . . . . .		1
Leading Varieties . . . . .		1
United States Map . . . . .		2
Varieties by States and United States . . . . .	1	3
Varieties by States and Counties:		
Alabama		
Varieties by State . . . . .	8	10
Varieties by Counties . . . . .	9	11
Arizona		
Varieties by State . . . . .	25	26
Varieties by Counties . . . . .	26	27
Arkansas		
Varieties by State . . . . .	16	16
Varieties by Counties . . . . .	17	17
California		
Varieties by State . . . . .	25	26
Varieties by Counties . . . . .	26	27
Florida		
Varieties by State . . . . .	24	26
Georgia		
Varieties by State . . . . .	6	8
Varieties by Counties . . . . .	7	9
Illinois		
Varieties by State . . . . .	24	26
Kentucky		
Varieties by State . . . . .	24	26
Louisiana		
Varieties by State . . . . .	18	18
Varieties by Counties . . . . .	19	19
Mississippi		
Varieties by State . . . . .	10	12
Varieties by Counties . . . . .	11	13
Missouri		
Varieties by State . . . . .	14	15
Varieties by Counties . . . . .	15	15
Nevada		
Varieties by State . . . . .	25	26
New Mexico		
Varieties by State . . . . .	25	26
Varieties by Counties . . . . .	26	27
North Carolina		
Varieties by State . . . . .	2	4
Varieties by Counties . . . . .	3	5
Oklahoma		
Varieties by State . . . . .	20	20
Varieties by Counties . . . . .	21	21
South Carolina		
Varieties by State . . . . .	4	6
Varieties by Counties . . . . .	5	7
Tennessee		
Varieties by State . . . . .	12	14
Varieties by Counties . . . . .	13	15
Texas		
Varieties by State . . . . .	22	22-23
Varieties by Counties . . . . .	23	24-25
Texas-District 6		
Varieties by District . . . . .	25	26
Varieties by Counties . . . . .	26	27
Virginia		
Varieties by State . . . . .	24	26



# Cotton Varieties Planted, United States

1959-1963

Estimates of the percentages of the various varieties of cotton planted in the United States in 1963, by counties, districts and states, are presented in this report. Comparative variety data for the four years 1959-62 are shown by districts and states. A preliminary report containing percentage distributions of varieties in the early harvesting areas of south Texas was published in mid-June.

The variety data presented herein are based principally on estimates furnished by cotton ginner for the territories served by their gins. Supplemental information is obtained from others closely associated with cotton culture in their respective areas such as seed breeders and dealers and county agents.

This year's estimates indicate that three general varieties account for nearly one-half of cotton acreage planted in the United States. These varieties in order of their relative importance are Deltapine, Acala, and Lankart. A percentage distribution of the ten leading general varieties planted in 1963 with comparisons for four preceding years is presented at the foot of this page. All strains of each particular variety are combined for the purpose of this comparison.

Deltapine remains the leading variety of cotton planted in the United States with 25 percent of the total acreage, the same proportion as a year earlier. Deltapine is the principal variety in Arizona, Kentucky, Louisiana, Mississippi and Tennessee. The strain DPL Smooth Leaf accounts for nearly 22 percent of total acreage planted against 20 percent last year and 17 percent two years ago.

Acala is the second leading variety of cotton planted this year. Estimates indicate that this variety accounts for 14 percent of total acreage, down slightly from a year earlier. Acala remains the leading variety in California, Nevada, New Mexico and District 6 of Texas. Acala 1517 strains are the most popular in all states named above except in California where Acala 4-42 is predominate with 87 percent of total acreage planted.

Lankart maintains third position this year with nine percent of total United States planted acreage against 11 percent last year. Lankart is the leading variety planted in Oklahoma and Texas, accounting for 58 and 24 percent, respectively, of total acreage in each of these two states.

Stoneville gained in popularity in this year's plantings and became the fourth leading variety. This variety accounted for eight percent of acreage planted this year against five and three percent, respectively, in the two preceding years. Although Stoneville is not the principal variety planted in any state, it is the second leading variety planted in several south central states and is planted to some extent in nearly all states.

Coker and Gregg are the next two leading varieties with each accounting for seven percent of acreage planted this year. Coker remains the leading variety in all southeastern states with the exception of Alabama. Gregg is the second most popular variety in Texas with 21 percent of plantings this year while 11 percent of New Mexico's acreage is planted to this variety.

Other leading varieties planted this year are Rex, Paymaster, Dixie King and Empire. Rex is the principal variety planted in Missouri and Arkansas and also accounts for substantial acreage in North Carolina. Paymaster is a newcomer to this year's list of ten leading varieties and represents a sizable acreage in Texas with lesser acreages in New Mexico and Oklahoma. Dixie King is the most popular variety in Alabama and continues as the second leading variety in Tennessee. Empire returns to the ten leading varieties after a year's absence from the list with sizable acreages reported in Alabama, Georgia and Tennessee. Pima 8-2 remains the leading variety of American-Egyptian cotton representing about 86 percent of this year's acreage.

The variety data presented in this report are estimates which should serve as reliable guides as to the geographic distribution and proportions of the various varieties of cotton throughout the Cotton Belt.

\*\*\*\*\*


Estimated percentage of cotton acreage planted to specified varieties, United States, 1959-1963

Year	Acala	Coker	Deltapine	Dixie King	Empire	Gregg	Lankart	Paymaster	Rex	Stoneville	Other <u>1/</u>	Total
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1959	24	8	21	1	3	2	15	2	2	2	20	100
1960	21	8	24	2	4	3	12	1	4	3	18	100
1961	17	8	27	3	3	3	12	1	6	3	17	100
1962	15	7	25	3	2	7	11	2	7	5	16	100
1963	14	7	25	3	2	7	9	4	6	6	15	100

1/ Includes small acreages planted to varieties other than those specified.



UNITED STATES  
Districts for Cotton Quality Reports



U. S. DEPARTMENT OF AGRICULTURE




Table 1. United States: Estimated percentage of cotton acreage planted to specified varieties, by states and United States, 1959-63.

Variety and Year	Alabama	Arizona	Arkansas	California	Florida	Georgia	Illinois	Kentucky	Louisiana	Mississippi	Missouri	Nevada	New Mexico	North Carolina	Oklahoma	South Carolina	Tennessee	Texas	Virginia	United States
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Acala	-	-	-	92	-	-	-	-	-	-	-	-	-	-	5	-	-	9	-	24
	-	94	-	94	-	-	-	-	-	-	-	-	-	-	1	-	-	8	-	21
	-	79	-	-	-	-	-	-	-	-	-	100	86	-	-	-	-	-	-	17
	-	24	-	89	-	-	-	-	-	-	-	100	85	-	-	-	-	6	-	15
	-	12	-	80	-	-	-	-	-	-	-	98	79	-	-	-	-	5	-	14
Coker	-	8	-	87	-	-	-	-	-	-	-	68	68	-	-	-	-	4	-	-
	31	-	-	-	62	58	-	-	1	2	-	-	-	99	-	92	-	-	95	8
	26	-	-	-	39	52	-	-	1	3	-	-	-	94	-	87	-	-	87	8
	25	-	-	-	42	52	-	-	-	3	-	-	-	78	-	86	1	-	65	8
	22	-	1	-	45	53	-	-	-	3	-	-	-	62	-	86	-	-	50	7
Deltapine	23	-	-	-	50	50	-	-	-	1	-	-	-	59	-	81	-	-	72	7
	16	-	50	7	2	6	-	82	90	71	26	-	-	-	5	-	62	11	-	21
	11	17	45	6	2	4	-	74	91	67	25	-	-	-	5	-	56	11	-	24
	7	71	40	11	-	3	-	75	86	76	19	-	-	-	5	-	54	10	-	27
	7	79	32	11	1	2	3	73	84	70	17	-	-	-	5	-	41	6	-	25
Dixie King	5	79	30	13	-	2	-	62	78	71	15	9	-	-	6	-	39	7	-	25
	9	-	-	-	-	1	-	-	-	3	-	-	2	-	-	5	-	-	-	1
	16	-	-	-	-	6	-	-	-	2	-	-	3	-	-	8	2	-	-	2
	24	-	1	-	-	11	-	-	-	3	-	-	-	1	-	8	8	-	-	3
	25	-	2	-	2	12	-	4	-	4	2	-	-	2	-	8	28	-	-	3
Empire	26	-	1	-	1	12	-	2	-	2	3	-	-	1	-	6	29	-	-	3
	23	-	3	-	15	25	38	-	-	2	-	-	2	1	-	2	23	1	5	3
	28	-	2	-	17	30	30	-	-	1	-	-	1	4	-	3	19	1	13	4
	19	-	2	-	11	25	7	-	-	2	-	-	2	4	-	1	19	-	5	3
	19	-	1	-	13	19	7	-	-	1	-	-	1	1	-	1	15	-	-	2
Gregg	17	-	1	-	8	16	2	-	-	1	-	-	3	1	-	1	16	-	-	2
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-	2
	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	8	-	3
	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	10	-	3
Lankart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	19	-	7
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	21	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Paymaster	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	6	-	2
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	6	-	2
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	12	-	4
Rex	-	-	11	-	-	-	-	2	-	1	4	-	-	-	-	-	1	1	-	2
	-	-	24	-	-	-	22	8	-	-	13	-	-	-	-	-	8	-	-	-
	1	-	32	-	-	-	16	-	-	3	-	-	-	17	-	2	9	-	30	6
	4	-	36	-	-	-	31	10	-	4	36	-	1	33	-	4	7	1	49	7
	5	-	34	-	-	-	41	30	-	3	39	-	1	34	-	4	7	-	23	6
Stoneville	-	-	3	-	-	1	-	2	3	4	9	-	-	-	5	-	3	3	-	2
	1	-	2	-	-	-	-	-	2	7	6	-	3	-	5	-	4	4	-	3
	1	-	2	-	-	-	-	-	5	5	6	-	-	-	6	-	2	5	-	3
	1	4	7	-	-	-	-	-	9	9	9	-	-	-	4	-	3	7	-	3
	1	4	16	-	-	-	-	-	17	14	18	10	-	-	5	-	4	11	-	8
Other 1/	19	6	33	1	21	9	62	14	6	17	61	-	5	-	35	1	11	29	-	20
	18	4	27	-	42	8	48	18	6	20	56	-	6	2	47	2	11	30	-	18
	23	5	23	-	47	9	77	25	9	8	32	-	7	-	32	2	17	31	-	17
	22	5	21	-	39	14	59	13	7	9	36	2	6	2	33	1	6	25	1	16
	23	9	18	-	41	20	57	6	5	8	25	13	10	5	29	8	5	21	5	15
Total	100	100	100	100	100	100	100	100	100	100	100	-	100	100	100	100	100	100	100	100
1959	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
1960	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
1961	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
1962	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
1963	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

\* Less than 0.5 percent.  
1/ Includes small acreages planted to varieties other than those specified.





U.S. DEPARTMENT OF AGRICULTURE

Table 2. North Carolina: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1959-63.

District and State	Ginnings 1,000 bales	Carolina Queen Percent	Coker 100 Percent	DeKalb Percent	Dixie King Percent	Rex Percent	Other 1/ Percent	Total Percent
<b>District 1</b>								
1959	78	-	96	-	-	-	4	100
1960	47	-	93	-	*	*	7	100
1961	51	-	88	*	2	3	7	100
1962	42	6	73	1	6	10	4	100
1963	-	8	60	2	4	24	2	100
<b>District 2</b>								
1959	144	-	99	-	-	-	1	100
1960	108	-	93	-	-	*	7	100
1961	143	-	73	*	*	25	2	100
1962	132	-	64	1	*	35	-	100
1963	-	1	57	1	*	41	*	100
<b>District 3</b>								
1959	114	-	98	-	*	-	2	100
1960	90	-	94	-	1	-	5	100
1961	96	-	80	-	1	15	4	100
1962	110	-	55	-	2	43	*	100
1963	-	4	61	2	2	30	1	100
<b>State</b>								
1959	336	-	99	-	*	-	1	100
1960	245	-	93	-	*	*	7	100
1961	290	-	78	*	1	17	4	100
1962	284	1	62	1	2	33	1	100
1963	-	3	59	2	1	34	1	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



Table 3. North Carolina: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1963.

District and County	Gins	1962 Ginnings	Carolina Queen	Coker 100	Dixie King	Empire	Rex	DeKalb	Other <sup>1/</sup>	Total
	<u>Number</u>	<u>1,000 bales</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
District 1										
Anson	6	7.6	2	87	-	-	7	4	-	100
Cleveland	17	14.4	21	32	-	-	47	-	-	100
Iredell	7	2.6	1	37	27	4	22	9	-	100
Lincoln	6	3.0	-	73	-	-	24	3	-	100
Mecklenburg	5	2.9	1	92	2	-	5	-	-	100
Rowan	3	1.3	3	9	13	49	26	-	-	100
Rutherford	4	1.4	-	29	29	-	26	16	-	100
Union	9	6.2	1	95	1	-	3	-	-	100
All Other	10	2.6	5	65	15	5	8	2	-	100
Total	67	42.0	8	60	4	2	24	2	-	100
District 2										
Bertie	4	4.8	69	5	-	26	-	-	-	100
Chowan	3	1.9	50	-	-	50	-	-	-	100
Edgecombe	6	7.8	62	2	-	35	1	-	-	100
Franklin	6	4.0	84	-	-	16	-	-	-	100
Halifax	14	25.3	64	-	-	36	-	-	-	100
Hertford	3	5.9	61	-	-	39	-	-	-	100
Johnston	14	8.4	57	-	-	36	7	-	-	100
Nash	12	12.0	72	3	-	23	2	-	-	100
Northampton	16	27.3	32	-	-	68	-	-	-	100
Pitt	5	6.3	34	2	-	64	-	-	-	100
Warren	6	4.9	85	4	1	9	1	-	-	100
Wayne	7	5.7	48	4	4	37	5	2	-	100
Wilson	7	6.9	57	1	-	39	3	-	-	100
All Other	10	10.9	70	1	1	27	1	-	-	100
Total	113	132.1	57	1	*	41	1	*	-	100
District 3										
Cumberland	6	4.3	84	-	11	5	-	-	-	100
Harnett	11	13.9	47	-	39	12	2	-	-	100
Hoke	4	6.4	73	-	18	7	-	-	2	100
Lee	3	.8	95	-	3	2	-	-	-	100
Richmond	3	.7	87	-	8	2	3	-	-	100
Robeson	19	41.4	62	2	30	2	3	1	-	100
Sampson	11	15.0	56	-	38	6	-	-	-	100
Scotland	8	21.1	64	4	28	1	1	1	1	100
All Other	8	6.3	66	-	31	3	-	-	-	100
Total	73	109.9	61	2	30	4	2	1	*	100

\* Less than 0.5 percent.

<sup>1/</sup> Includes small acreages planted to varieties other than those specified.






Table 4. South Carolina: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1959-63.

District and State	Ginnings	Auburn	Carolina Queen	Coker 100	Dixie King	Empire	Rex	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
<b>District 1</b>									
1959	92	-	-	90	7	2	-	1	100
1960	70	-	-	89	7	2	*	2	100
1961	76	*	-	85	11	1	*	3	100
1962	67	1	-	80	13	1	2	3	100
1963	-	1	8	70	12	3	3	3	100
<b>District 2</b>									
1959	220	-	-	94	3	2	-	1	100
1960	222	-	-	87	7	4	*	2	100
1961	201	1	-	89	6	1	2	1	100
1962	248	1	-	87	6	1	5	*	100
1963	-	1	5	84	4	1	5	*	100
<b>District 3</b>									
1959	109	-	-	89	9	1	*	1	100
1960	127	-	-	87	10	1	1	1	100
1961	137	*	-	86	10	1	2	1	100
1962	141	*	-	88	8	*	3	1	100
1963	-	1	4	84	7	*	2	2	100
<b>State</b>									
1959	421	-	-	92	5	2	*	1	100
1960	419	-	-	87	8	3	*	2	100
1961	414	*	-	87	8	1	2	2	100
1962	456	1	-	86	8	1	4	*	100
1963	-	1	5	81	6	1	4	2	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



Table 5. South Carolina: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1963.

District and County	Gins	1962 Ginnings	Carolina Queen	Coker 100	Dixie King	Empire	Rex	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
Abbeville	4	5.9	12	48	25	4	11	-	100
Anderson	17	13.0	11	69	17	2	-	1	100
Cherokee	6	3.8	5	46	11	35	3	-	100
Chester	4	3.0	51	25	-	-	-	24	100
Edgefield	6	8.9	1	74	13	-	12	-	100
Greenville	6	2.9	2	91	6	-	-	1	100
Laurens	10	8.4	5	72	20	-	2	1	100
McCormick	3	1.4	1	76	-	-	-	23	100
Newberry	5	4.0	1	95	2	2	-	-	100
Oconee	3	1.7	-	100	-	-	-	-	100
Saluda	5	4.1	-	96	4	-	-	-	100
Spartanburg	9	3.0	1	91	5	2	-	1	100
York	9	6.7	17	54	9	1	-	19	100
All Other	7	.2	4	94	-	-	2	*	100
Total	94	67.0	8	70	12	3	3	4	100
District 2									
Chesterfield	10	12.8	-	4	74	18	1	3	100
Clarendon	12	27.3	-	4	83	9	2	2	100
Darlington	8	17.5	-	14	83	1	1	1	100
Dillon	9	19.8	1	1	84	4	9	1	100
Florence	14	26.8	-	4	88	3	4	1	100
Lancaster	4	3.3	4	3	84	4	5	-	100
Lee	14	38.0	-	7	88	2	1	2	100
Marion	4	6.9	-	3	94	1	2	-	100
Marlboro	14	28.6	2	5	78	4	6	5	100
Richland	3	3.0	-	8	92	-	-	-	100
Sumter	18	35.1	3	4	89	2	2	-	100
Williamsburg	8	20.1	-	1	77	2	20	-	100
All Other	4	8.7	-	4	76	1	16	3	100
Total	122	247.9	1	5	84	4	5	1	100
District 3									
Aiken	6	14.6	2	81	-	14	2	1	100
Allendale	4	7.2	4	79	3	12	1	1	100
Bamberg	4	11.4	1	94	3	1	1	-	100
Barnwell	5	11.4	1	85	1	8	1	4	100
Calhoun	6	11.8	12	67	-	1	2	18	100
Colleton	4	3.5	1	79	-	19	1	-	100
Dorchester	4	5.3	-	95	-	5	-	-	100
Hampton	6	10.7	12	82	1	1	3	1	100
Lexington	4	5.6	1	93	-	2	-	4	100
Orangeburg	28	57.7	3	86	1	8	2	-	100
All Other	2	1.9	1	92	7	-	-	-	100
Total	73	141.1	4	84	1	7	2	2	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.






Table 6. Georgia: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1959-63.

District and State	Ginnings	Auburn	Carolina Queen	Coker 100	DeKalb	Dixie King	Empire	Plains	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
<b>District 1</b>										
1959	175	*	-	64	-	1	31	*	4	100
1960	128	*	-	50	-	7	37	*	6	100
1961	134	*	-	47	4	12	35	*	2	100
1962	136	2	-	50	5	12	28	*	3	100
1963	-	1	10	44	4	16	22	-	3	100
<b>District 2</b>										
1959	201	-	-	48	-	1	26	15	10	100
1960	224	1	-	47	-	3	29	11	9	100
1961	227	5	-	48	*	7	24	9	7	100
1962	236	13	-	49	1	9	15	6	7	100
1963	-	16	1	45	2	11	14	3	8	100
<b>District 3</b>										
1959	145	-	-	66	-	3	18	2	11	100
1960	156	*	-	63	-	9	23	1	4	100
1961	151	3	-	59	*	17	17	*	4	100
1962	163	7	-	59	1	15	15	2	1	100
1963	-	11	1	56	1	11	15	1	4	100
<b>State</b>										
1959	521	*	-	58	-	1	25	7	8	100
1960	508	1	-	52	-	6	30	8	6	100
1961	512	3	-	52	1	11	25	4	4	100
1962	535	8	*	53	2	12	19	3	3	100
1963	-	11	3	50	2	12	16	2	4	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



Table 7. Georgia: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1963.

District and County	Gins	1962 Ginnings	Auburn	Carolina Queen	Coker 100	DeKalb	Dixie King	Empire	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1										
Bartow	8	17.7	-	-	64	-	4	31	1	100
Carroll	5	1.4	-	-	68	-	20	12	-	100
Coweta	3	4.4	-	-	29	-	32	39	-	100
Floyd	6	3.7	-	-	48	-	6	43	3	100
Franklin	5	2.2	-	-	77	-	12	11	-	100
Gordon	5	6.8	-	-	35	-	14	48	3	100
Hart	6	6.0	-	1	24	23	28	24	-	100
Jackson	5	2.5	-	-	6	58	30	6	-	100
Madison	4	7.2	-	-	95	-	2	3	-	100
Meriwether	5	5.8	-	-	50	-	24	-	26	100
Morgan	8	8.2	-	19	35	-	46	-	-	100
Oconee	3	6.1	-	66	-	-	-	34	-	100
Pike	3	5.3	-	-	70	-	-	30	-	100
Polk	3	3.9	-	-	40	-	-	50	10	100
Walton	7	10.4	-	67	25	1	7	-	-	100
All Other	43	44.4	3	2	44	5	20	24	2	100
Total	119	136.0	1	10	44	4	16	22	3	100

District 2										
Brooks	4	6.7	14	60	2	6	12	5	1	100
Calhoun	3	7.6	38	40	6	6	8	1	1	100
Colquitt	9	21.5	27	43	-	9	11	7	3	100
Crisp	4	13.2	2	44	-	11	27	6	10	100
Dodge	5	6.6	-	86	-	-	7	4	3	100
Dooly	7	20.0	4	43	10	40	-	1	2	100
Irwin	3	5.1	25	39	-	-	31	-	5	100
Macon	5	9.0	21	52	-	1	2	-	24	100
Mitchell	4	8.4	31	37	-	3	17	7	5	100
Pulaski	4	8.8	11	39	15	12	5	14	4	100
Sumter	6	13.6	37	18	17	11	3	6	8	100
Taylor	5	10.1	2	35	-	7	48	-	8	100
Terrell	4	12.0	12	51	-	-	16	-	21	100
Thomas	3	2.5	21	63	-	3	5	6	2	100
Tift	4	9.7	16	54	-	19	6	4	1	100
Turner	4	9.5	15	43	-	17	19	2	4	100
Wilcox	4	8.2	19	44	-	19	13	-	5	100
Worth	5	9.5	7	31	-	8	35	1	18	100
All Other	32	53.5	19	55	-	7	13	3	3	100
Total	115	235.5	16	45	3	11	14	3	8	100

District 3										
Bulloch	6	14.6	17	55	-	5	23	-	-	100
Burke	13	31.3	-	67	-	-	18	10	5	100
Candler	3	5.6	7	50	-	-	43	-	-	100
Emanuel	5	10.2	5	57	-	23	15	-	-	100
Jefferson	8	16.0	-	51	11	15	23	-	-	100
Johnson	4	9.1	56	34	-	5	5	-	-	100
Laurens	7	17.1	21	63	-	13	3	-	-	100
Screven	5	11.5	10	31	-	49	2	-	8	100
Toombs	4	7.5	1	87	-	5	7	-	-	100
Washington	5	11.4	27	50	10	-	10	-	3	100
All Other	18	28.9	3	61	-	15	15	3	3	100
Total	78	163.2	11	56	2	11	15	2	3	100

1/ Includes small acreages planted to varieties other than those specified.






Table 8. Alabama: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1959-63.

District and State	Ginnings	Auburn	Coker 100	DeKalb	Delta-pine	Dixie King	Empire	Plains	Rex	Other <sup>1/</sup>	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
<b>District 1</b>											
1959	406	1	11	-	20	11	40	11	-	6	100
1960	398	0	11	-	14	18	44	7	-	6	100
1961	323	10	13	1	8	26	32	4	1	5	100
1962	340	7	5	3	8	30	33	2	7	5	100
1963	-	5	6	5	4	33	31	2	10	4	100
<b>District 2</b>											
1959	180	4	50	-	18	13	5	8	-	2	100
1960	202	10	42	-	11	21	9	6	-	1	100
1961	173	17	34	0	4	33	6	5	0	1	100
1962	209	26	30	0	5	29	5	4	1	0	100
1963	-	29	27	0	7	30	4	2	1	1	100
<b>District 3</b>											
1959	129	2	53	-	2	1	7	26	-	9	100
1960	156	14	52	-	2	1	5	20	-	6	100
1961	125	24	52	0	1	5	4	10	-	4	100
1962	147	21	59	1	1	7	2	7	-	3	100
1963	-	19	56	4	1	10	1	5	1	3	100
<b>State</b>											
1959	715	2	31	-	16	9	23	13	-	6	100
1960	756	6	26	-	11	16	28	9	-	4	100
1961	621	15	25	0	6	24	19	6	1	4	100
1962	696	15	22	2	6	25	19	3	4	4	100
1963	-	15	23	3	4	26	17	3	5	4	100

0 Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



Table 9. Alabama: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1963.

District and County	Gins	1962 Ginnings	Auburn	Coker 100	DeKalb	Delta-pine	Dixie King	Empire	Rex	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Blount	7	9.0	4	4	36	-	41	9	1	5	100
Cherokee	12	25.4	16	9	-	-	44	27	-	4	100
Colbert	8	16.8	1	-	1	46	29	9	2	12	100
Cullman	18	21.9	3	2	3	-	63	17	2	10	100
De Kalb	27	35.6	-	22	5	-	54	6	13	-	100
Etowah	6	5.1	-	13	12	-	42	14	3	16	100
Franklin	5	8.0	2	-	-	-	50	26	-	22	100
Jackson	10	16.5	-	-	-	-	63	36	1	-	100
Lauderdale	13	20.2	40	-	-	6	13	40	1	-	100
Lawrence	15	34.4	12	-	2	7	41	29	3	6	100
Limestone	19	46.0	-	5	4	-	8	50	28	5	100
Madison	22	47.5	-	5	3	-	13	63	8	8	100
Marion	4	6.6	5	9	-	13	51	8	14	-	100
Marshall	20	23.7	-	11	21	-	46	8	3	11	100
Morgan	14	20.4	1	2	4	-	2	44	39	8	100
Winston	4	3.2	3	7	-	1	69	15	-	5	100
Total	204	340.3	5	6	5	4	33	31	10	6	100

Auburn	Coker 100	Delta-pine	Dixie King	Empire	Plains	Rex	Other 1/	Total
--------	-----------	------------	------------	--------	--------	-----	----------	-------

District 2											
Autauga	4	7.3	69	24	-	3	1	-	-	3	100
Calhoun	5	5.4	30	3	-	8	15	44	-	-	100
Chilton	3	5.3	25	54	-	13	-	8	-	-	100
Clay	3	.8	43	38	-	-	19	-	-	-	100
Dallas	9	19.5	17	33	9	8	31	2	-	-	100
Elmore	5	12.7	19	60	-	21	-	-	-	-	100
Fayette	5	7.9	21	4	36	37	-	-	1	1	100
Hale	7	11.9	31	13	10	40	-	6	-	-	100
Lamar	4	5.9	8	8	6	30	-	12	6	30	100
Lowndes	4	5.3	34	61	1	2	-	-	-	2	100
Macon	5	15.8	60	26	1	13	-	-	-	-	100
Marengo	5	10.7	5	22	-	73	-	-	-	-	100
Montgomery	5	8.4	81	14	-	4	-	-	-	1	100
Perry	4	7.6	25	6	22	40	7	-	-	-	100
Pickens	9	10.8	2	2	2	93	1	-	-	-	100
Randolph	4	3.1	-	72	-	20	6	2	-	-	100
Russell	4	9.1	7	56	-	37	-	-	-	-	100
Shelby	3	7.8	42	15	29	14	-	-	-	-	100
Sumter	4	7.6	11	39	29	17	1	-	2	1	100
Tuscaloosa	4	8.4	4	3	6	78	7	-	-	2	100
All Other	20	37.7	34	31	1	29	1	*	2	2	100
Total	116	209.0	28	27	7	30	4	2	1	1	100

Auburn	Coker 100	DeKalb	Dixie King	Empire	Plains	Wannamaker All-in-one	Other 1/	Total
--------	-----------	--------	------------	--------	--------	-----------------------	----------	-------

District 3											
Barbour	5	7.6	20	69	-	6	4	1	-	-	100
Bullock	3	4.5	1	99	-	-	-	-	-	-	100
Butler	3	5.0	20	33	-	4	4	10	23	6	100
Coffee	3	5.4	12	27	31	3	2	22	2	1	100
Conecuh	4	6.5	32	50	-	9	2	4	3	-	100
Covington	4	10.4	20	44	1	29	1	1	3	1	100
Crenshaw	4	5.4	24	58	-	3	-	6	1	8	100
Dale	3	4.6	6	62	-	26	-	5	-	1	100
Escambia	3	11.0	1	83	2	13	-	1	-	-	100
Geneva	8	21.2	17	59	1	7	2	5	9	-	100
Henry	5	12.4	11	35	9	20	-	5	1	19	100
Houston	8	18.7	23	47	12	11	1	5	-	1	100
Monroe	7	14.6	8	79	-	5	-	7	-	1	100
Pike	6	7.2	62	22	-	12	1	2	-	1	100
Wilcox	5	9.0	43	42	-	-	-	13	-	2	100
All Other	1	3.2	4	90	-	-	-	6	-	-	100
Total	72	146.7	19	56	4	10	1	5	3	2	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.






Table 10. Mississippi: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1959-63.

District and State	Ginnings 1,000 bales	Auburn Percent	Coker 100 Percent	Delfoe Percent	Delta- pine Percent	DPL Smooth Leaf Percent	Dixie King Percent	Rex Percent	Stone- ville Percent	Other ✓ Percent	Total Percent
<b>District 1</b>											
1959	1,016	-	3	9	70	3	3	-	3	9	100
1960	959	1	2	6	34	31	1	2	8	15	100
1961	1,062	0	1	3	20	62	1	1	4	8	100
1962	1,097	1	1	3	12	65	1	2	8	7	100
1963	-	0	8	2	5	71	-	1	14	7	100
<b>District 2</b>											
1959	335	-	0	-	74	1	3	1	8	13	100
1960	359	1	1	1	68	4	5	8	7	5	100
1961	382	1	2	0	36	26	6	10	10	7	100
1962	365	1	2	1	14	40	12	12	12	6	100
1963	-	2	0	0	6	53	8	9	10	3	100
<b>District 3</b>											
1959	141	-	13	-	75	-	0	-	4	8	100
1960	148	1	12	-	69	3	1	2	6	6	100
1961	119	1	12	-	37	30	2	4	8	6	100
1962	159	4	10	-	23	42	3	4	9	5	100
1963	-	6	7	-	31	54	4	2	13	3	100
<b>District 4</b>											
1959	60	-	15	-	71	-	-	-	2	12	100
1960	62	1	19	-	61	9	1	2	3	13	100
1961	48	4	19	-	43	17	3	1	1	12	100
1962	65	4	23	-	32	25	4	1	3	8	100
1963	-	9	17	-	10	48	4	1	8	3	100
<b>State</b>											
1959	1,552	-	2	6	71	2	3	1	4	11	100
1960	1,520	1	3	4	46	21	2	3	7	13	100
1961	1,611	1	3	2	27	49	3	3	5	7	100
1962	1,606	1	3	2	14	56	4	4	9	7	100
1963	-	2	1	2	6	65	2	3	14	8	100

0 Less than 0.5 percent.

✓ Includes small acreage planted to varieties other than those specified.



Table 11. Mississippi: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1963.

District and County	Gins	1962 Ginnings	Delfos	Delta-pine	DPL Smooth Leaf	Delta-Queen	Fox	Rex	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Bolivar	50	140.2	-	2	90	-	1	1	3	3	100
Coahoma	43	136.7	-	-	61	7	2	1	27	2	100
Holmes	19	57.9	-	-	88	-	-	-	6	6	100
Humphreys	16	62.1	24	-	61	-	-	-	14	1	100
Issaquena	3	12.8	-	-	79	-	8	-	9	4	100
Leflore	28	97.0	-	18	65	-	1	-	13	3	100
Quitman	22	73.1	-	10	45	-	6	5	29	5	100
Sharkey	15	49.3	-	-	85	-	3	-	11	1	100
Sunflower	39	143.3	-	15	72	-	1	-	10	2	100
Tallahatchie	23	76.9	1	1	79	-	8	-	5	6	100
Tunica	19	55.1	1	-	79	3	-	-	4	13	100
Washington	41	125.0	-	-	79	-	1	-	17	3	100
Yazoo	14	61.8	15	4	46	-	-	-	30	5	100
All Other	2	5.8	-	-	90	-	-	-	5	5	100
Total	334	1,097.0	2	5	71	1	2	1	14	4	100
			Auburn	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Rex	Stone-ville	Other 1/	Total
District 2											
Alcorn	5	9.5	-	6	15	54	16	-	8	1	100
Benton	5	9.8	-	-	54	6	1	4	30	5	100
Calhoun	9	14.7	-	-	40	1	-	-	58	1	100
Chickasaw	8	18.4	-	-	57	2	-	-	37	4	100
De Soto	15	35.6	1	-	67	5	5	14	2	6	100
Grenada	5	14.6	-	5	78	6	-	-	10	1	100
Itawamba	5	5.1	1	4	20	32	-	28	11	4	100
Lafayette	3	9.6	-	5	44	-	-	17	30	4	100
Lee	12	19.6	1	7	55	7	-	13	16	1	100
Marshall	15	32.3	11	-	59	-	-	15	11	4	100
Monroe	12	25.7	6	1	79	3	1	1	6	3	100
Panola	19	59.0	-	18	37	5	-	7	32	1	100
Pontotoc	8	18.2	7	18	27	21	-	11	14	2	100
Prentiss	8	13.0	1	9	53	14	-	9	14	-	100
Tate	10	32.9	-	2	65	2	-	2	28	1	100
Tippah	8	18.0	-	2	41	21	2	26	7	1	100
Tishomingo	4	5.6	-	26	4	54	11	-	-	5	100
Union	6	9.3	2	17	36	17	-	23	5	-	100
Yalobusha	3	14.5	-	-	69	3	-	1	25	2	100
Total	160	365.4	2	6	53	8	1	9	19	2	100
			Auburn	Coker 100	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Stone-ville	Other 1/	Total
District 3											
Attala	6	8.5	6	10	19	50	-	4	11	-	100
Carroll	4	12.3	-	3	3	86	-	-	4	4	100
Clay	5	7.8	-	1	3	93	2	1	-	-	100
Hinds	8	15.1	5	5	17	63	4	-	6	-	100
Kemper	3	2.6	-	9	-	-	25	9	53	4	100
Lauderdale	3	2.0	72	14	14	-	-	-	-	-	100
Leake	5	9.7	6	35	-	46	1	3	4	5	100
Lowndes	7	14.7	6	3	5	76	2	-	2	6	100
Madison	11	22.9	5	-	26	39	-	6	23	1	100
Montgomery	5	9.2	-	4	11	63	-	-	16	6	100
Noxubee	5	16.2	5	-	-	63	9	-	21	2	100
Scott	4	5.2	40	7	-	27	9	-	17	-	100
Webster	5	8.5	1	3	27	47	-	1	20	1	100
Winston	4	9.8	-	16	18	35	22	5	3	1	100
All Other	8	14.1	4	15	8	32	4	9	18	10	100
Total	63	158.6	6	7	11	54	4	3	13	2	100
			Auburn	Coker 100	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Stone-ville	Other 1/	Total
District 4											
Amite	5	2.3	4	8	-	55	-	4	33	-	100
Copiah	4	4.4	-	18	-	25	-	-	51	6	100
Covington	4	5.9	3	10	-	79	-	4	1	3	100
Jasper	3	2.7	10	40	28	20	1	1	-	-	100
Jefferson Davis	5	11.5	-	3	6	87	-	3	-	1	100
Lawrence	3	3.4	13	6	20	27	9	1	13	11	100
Marion	4	5.4	23	28	12	20	5	6	5	1	100
Simpson	4	3.6	4	21	11	56	2	2	2	2	100
Walthall	4	4.4	18	13	21	22	1	8	6	11	100
All Other	17	21.2	13	24	10	40	8	*	4	1	100
Total	53	64.8	9	17	10	48	4	2	8	2	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.






Table 12. Tennessee: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1959-63.

District and State	Ginnings 1,000 bales	Delta- pine Percent	DPL Smooth Leaf Percent	Dixie King Percent	Empire Percent	Fox Percent	Rex Percent	Stone- ville Percent	Other 1/ Percent	Total Percent
<b>District 1</b>										
1959	598	64	3	-	20	3	1	3	6	100
1960	532	35	22	2	17	6	8	4	6	100
1961	524	18	39	9	15	4	9	2	4	100
1962	517	10	33	28	13	3	7	3	3	100
1963	-	7	34	28	14	3	7	5	2	100
<b>District 2</b>										
1959	44	20	-	-	67	1	-	1	11	100
1960	39	25	3	2	43	4	8	4	11	100
1961	26	2	10	-	73	0	-	-	15	100
1962	31	0	5	20	59	2	7	-	7	100
1963	-	-	5	21	64	-	8	-	2	100
<b>State</b>										
1959	642	62	2	-	23	3	1	3	6	100
1960	571	35	21	2	19	6	8	4	5	100
1961	550	17	37	8	19	4	9	2	4	100
1962	548	10	31	28	15	3	7	3	3	100
1963	-	6	33	29	16	3	7	4	2	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



Table 13. Tennessee: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1963.

District and County	Gins	1962 Ginnings	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Fox	Rex	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Carroll	13	20.0	1	7	44	46	-	1	-	1	100
Chester	6	9.7	33	26	19	7	1	12	-	2	100
Crockett	12	38.0	5	35	35	19	1	-	3	2	100
Dyer	17	35.1	1	28	26	9	3	6	24	3	100
Fayette	16	32.4	4	33	36	4	1	6	15	1	100
Gibson	20	52.6	5	12	23	51	*	1	5	3	100
Hardeman	12	21.3	9	59	8	5	1	7	5	6	100
Hardin	5	4.4	31	6	37	-	3	18	-	5	100
Haywood	19	46.3	9	42	41	2	2	1	1	2	100
Henderson	11	13.3	23	2	38	14	1	20	1	1	100
Henry	3	2.9	9	19	21	35	-	7	2	7	100
Lake	10	31.7	-	86	3	-	7	1	3	-	100
Lauderdale	19	48.4	8	27	31	9	2	14	6	3	100
McNairy	14	14.6	16	36	35	1	3	5	-	4	100
Madison	19	30.7	11	43	22	13	4	2	1	4	100
Obion	7	10.4	-	22	34	8	6	17	8	5	100
Shelby	19	39.0	1	45	24	4	4	16	1	5	100
Tipton	18	57.3	7	31	28	3	11	13	1	6	100
Weakley	4	7.1	5	5	35	46	-	-	7	2	100
All Other	2	1.8	9	15	27	27	-	19	3	-	100
Total	246	517.0	7	34	28	14	3	7	5	2	100

Cobalt	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Pope	Rex	Other 1/	Total
--------	------------	-----------------	------------	--------	------	-----	----------	-------

District 2

Giles	4	3.4	-	-	4	15	69	5	6	1	100
Lawrence	10	12.3	1	-	4	31	63	-	1	-	100
Lincoln	5	11.1	-	-	*	12	71	-	17	-	100
Rutherford	3	1.3	-	-	50	25	3	20	2	*	100
All Other	4	3.3	-	3	5	18	59	9	6	-	100
Total	26	31.4	*	*	5	21	64	2	8	*	100

Table 14. Missouri: Estimated percentage of cotton acreage planted to specified varieties, 1959-63.

Year	Ginnings	Auburn	Delfos	Delta-pine	DPL Smooth Leaf	Dixie King	Fox	Rex	Stone-ville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1959	514	5	35	26	2	-	18	4	7	3	100
1960	481	4	25	16	9	*	26	13	6	1	100
1961	386	3	20	7	12	*	23	28	6	1	100
1962	472	4	14	2	15	2	15	36	9	3	100
1963	-	5	9	2	13	3	8	39	18	3	100

Table 15. Missouri: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1963.

County	Gins	1962 Ginnings	Auburn	Delfos	DPL Smooth Leaf	Dixie King	Fox	Rex	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Butler	10	21.3	-	6	13	-	-	23	42	16	100
Dunklin	36	101.8	10	11	9	4	4	48	11	3	100
Mississippi	14	39.3	3	1	8	-	15	55	14	4	100
New Madrid	40	124.7	5	14	12	2	11	20	33	3	100
Pemiscot	33	126.6	-	5	18	3	6	50	14	4	100
Scott	10	20.4	2	1	36	-	23	35	-	3	100
Stoddard	12	35.8	7	12	9	5	10	42	11	4	100
All Other	1	1.8	-	-	-	-	-	75	-	25	100
Total	156	471.7	5	9	13	3	8	39	18	5	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.






Table 16. Arkansas: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1959-63.

District and State	Ginnings 1,000 bales	Delfos Percent	Delta- pine Percent	DPL Smooth Leaf Percent	Dixie King Percent	Empire Percent	Fox Percent	Rex Percent	Stone- ville Percent	Other 1/ Percent	Total Percent
District 1											
1959	33	-	52	-	-	6	5	18	*	19	100
1960	32	-	52	3	-	5	1	31	-	8	100
1961	28	*	30	21	-	2	2	40	*	5	100
1962	33	3	25	15	*	1	1	49	*	6	100
1963	-	-	33	12	1	3	3	39	4	5	100
District 2											
1959	911	22	53	*	-	4	4	13	2	2	100
1960	788	18	29	10	*	3	5	31	2	2	100
1961	831	13	12	21	1	2	4	45	1	1	100
1962	880	11	4	16	3	2	2	53	7	2	100
1963	-	11	2	15	2	2	1	44	20	3	100
District 3											
1959	89	5	61	2	-	2	-	8	14	8	100
1960	79	4	51	12	1	2	*	15	9	6	100
1961	89	2	19	41	*	3	*	18	8	9	100
1962	79	4	7	45	*	2	-	20	16	6	100
1963	-	3	2	55	1	1	-	11	19	8	100
District 4											
1959	501	43	42	*	-	1	1	8	2	3	100
1960	447	26	40	11	-	*	3	13	2	5	100
1961	512	29	22	28	-	*	3	13	1	4	100
1962	466	29	9	39	*	*	1	12	5	5	100
1963	-	22	5	42	*	*	2	14	9	6	100
State											
1959	1,534	28	50	*	-	3	3	11	3	2	100
1960	1,346	19	34	11	*	2	4	24	2	4	100
1961	1,460	18	16	24	1	2	3	32	2	2	100
1962	1,458	17	6	26	2	1	1	36	7	4	100
1963	-	14	4	26	1	1	1	34	16	3	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



Table 17. Arkansas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1963.

District and County	Gins	1962 Ginnings	Delta-pine	DPL Smooth Leaf	Empire	Fox	Hibred and Half & Half	Rex	Stone-ville	Other <u>1/</u>	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Faulkner	3	5.2	28	4	12	-	6	15	26	9	100
White	7	10.6	3	12	1	-	1	79	-	4	100
Yell	3	9.2	65	13	-	9	-	9	-	4	100
All Other	8	8.3	41	18	3	-	2	35	-	1	100
Total	21	33.3	33	12	3	3	2	39	4	4	100
District 2											
			Delfos	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Rex	Stone-ville	Other <u>1/</u>	Total
Clay	20	47.8	28	-	8	1	13	26	18	6	100
Craighead	32	94.4	32	-	8	3	1	29	25	2	100
Crittenden	38	114.4	-	5	7	-	-	65	18	5	100
Cross	19	42.3	18	8	12	-	1	51	6	4	100
Greene	15	39.9	14	1	6	1	13	45	18	2	100
Jackson	17	52.7	1	-	19	16	1	59	-	4	100
Lawrence	9	21.1	1	-	3	7	14	58	14	3	100
Mississippi	64	228.2	2	2	9	-	-	50	33	4	100
Poinsett	25	102.6	19	-	32	3	-	38	5	3	100
Randolph	7	13.3	-	-	7	13	3	77	-	-	100
St. Francis	28	82.3	15	7	15	-	1	29	31	2	100
Woodruff	12	41.0	-	-	69	-	-	20	7	4	100
Total	286	880.0	11	2	15	2	2	44	20	4	100
District 3											
			Auburn	Delfos	Delta-pine	DPL Smooth Leaf	Empire	Rex	Stone-ville	Other <u>1/</u>	Total
Ashley	10	30.7	2	7	-	49	-	7	32	3	100
Columbia	4	3.1	-	-	14	11	2	60	2	11	100
Drew	5	9.7	-	5	-	61	-	7	24	3	100
Hempstead	6	2.2	-	-	26	32	-	8	17	17	100
Lafayette	4	13.3	-	-	-	80	-	2	5	13	100
Miller	4	6.1	-	-	-	83	-	7	5	5	100
All Other	14	14.1	5	-	5	42	5	24	8	11	100
Total	47	79.2	2	3	2	55	1	11	19	7	100
District 4											
			Auburn	Delfos	Delta-pine	DPL Smooth Leaf	Fox	Rex	Stone-ville	Other <u>1/</u>	Total
Arkansas	6	8.6	-	4	15	26	9	31	11	4	100
Chicot	10	35.1	-	3	-	89	1	-	4	3	100
Desha	15	39.7	-	52	-	23	-	-	23	2	100
Jefferson	29	68.0	9	25	-	52	3	-	2	9	100
Lee	19	66.6	-	6	8	20	-	52	8	6	100
Lincoln	10	30.4	-	3	-	53	12	-	16	16	100
Lonoke	17	59.2	-	82	-	5	-	6	5	2	100
Monroe	13	43.2	-	1	12	60	6	18	-	3	100
Phillips	39	96.7	-	4	8	58	1	13	11	5	100
Prairie	3	7.9	2	2	20	49	-	24	-	3	100
Pulaski	10	10.2	3	53	-	-	-	-	34	10	100
Total	171	465.6	1	22	5	42	2	14	9	5	100

1/ Includes small acreages planted to varieties other than those specified.





U.S. DEPARTMENT OF AGRICULTURE

Table 18. Louisiana: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1959-63.

District and State	Ginnings 1,000 bales	Auburn Percent	Delta- pine Percent	DPL Smooth Leaf Percent	Fox Percent	Stardal Percent	Stone- vills Percent	Other 1/ Percent	Total Percent
District 1									
1959	133	1	92	-	1	3	-	3	100
1960	126	2	84	5	•	3	•	6	100
1961	105	5	50	35	3	5	1	1	100
1962	116	5	29	57	2	2	5	•	100
1963	-	2	23	56	2	2	15	•	100
District 2									
1959	3	-	80	-	-	-	-	20	100
1960	2	4	58	-	-	-	-	38	100
1961	1	39	21	-	-	-	-	40	100
1962	1	26	28	-	-	-	1	45	100
1963	-	41	-	19	-	-	-	40	100
District 3									
1959	260	-	91	-	2	-	1	6	100
1960	269	-	82	11	2	-	2	3	100
1961	276	•	43	46	-	-	5	6	100
1962	310	1	21	64	4	•	9	1	100
1963	-	1	9	68	2	-	17	3	100
District 4									
1959	91	1	89	-	•	•	10	-	100
1960	99	-	90	•	1	•	7	2	100
1961	93	-	29	60	•	1	9	1	100
1962	113	•	21	65	•	-	13	1	100
1963	-	-	6	70	•	-	24	•	100
State									
1959	487	-	90	-	1	1	3	5	100
1960	496	•	84	7	1	1	2	5	100
1961	475	2	41	45	3	2	5	2	100
1962	540	2	23	61	3	1	9	1	100
1963	-	1	11	67	2	1	17	1	100

• Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



Table 19. Louisiana: Estimated percentage of cotton acreage planted to specified varieties, by parishes and districts, crop of 1963.

District and Parish	Gins	1962 Ginnings	Auburn	Delta-pine	DPL Smooth Leaf	Fox	Stardel	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1										
Bossier	9	18.6	2	7	64	-	15	12	-	100
Caddo	12	35.7	2	26	68	-	-	4	-	100
Natchitoches	10	16.8	3	31	60	1	-	5	-	100
Rapides	13	30.9	1	18	38	5	-	38	-	100
Red River	5	8.1	-	40	60	-	-	-	-	100
All Other	4	5.7	9	90	-	-	-	-	1	100
Total	53	115.8	2	23	56	2	2	15	*	100
District 2										
			Auburn	Coker 100	DPL Smooth Leaf	Rex	Other 1/	---	---	Total
Total	4	.7	41	16	19	24	-	-	-	100
District 3										
			Auburn	Delfos	Delta-pine	DPL Smooth Leaf	Fox	Stone-ville	Other 1/	Total
Catahoula	4	9.9	1	13	33	31	-	20	2	100
Concordia	6	14.4	-	-	-	64	-	36	-	100
East Carroll	10	41.7	-	1	-	86	1	11	1	100
Franklin	18	50.3	-	-	15	64	-	19	2	100
Madison	7	23.1	-	-	8	69	-	21	2	100
Morehouse	11	40.5	1	-	8	76	4	5	6	100
Ouachita	5	19.5	-	-	-	50	4	45	1	100
Richland	17	47.0	2	-	14	72	1	10	1	100
Tensas	6	29.4	1	-	10	65	2	20	2	100
West Carroll	11	26.5	-	-	5	77	8	7	3	100
All Other	2	8.7	-	-	-	73	2	20	5	100
Total	97	311.0	1	1	9	68	2	17	2	100
District 4										
			DeKalb	Delta-pine	DPL Smooth Leaf	Fox	Stone-ville	Other 1/	---	Total
Acadia	4	8.1	-	2	88	-	10	-	-	100
Avoyelles	12	24.3	2	17	68	1	12	-	-	100
Evangeline	11	13.4	-	-	94	-	6	-	-	100
Lafayette	8	12.7	-	-	80	-	20	-	-	100
Pointe Coupee	4	6.8	-	-	69	-	31	-	-	100
St. Landry	23	36.3	-	5	53	-	42	-	-	100
St. Martin	3	4.1	-	1	49	-	50	-	-	100
All Other	6	7.1	-	1	85	-	13	1	-	100
Total	71	112.8	*	6	70	*	24	*	-	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.






Table 20. Oklahoma: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1959-63.

District and State	Ginnings 1,000 bales	DPL Smooth Leaf Percent	Lankart Percent	Northern Star Percent	Parrot Percent	Stone- ville Percent	Western Storm- proof Percent	Other 1/ Percent	Total Percent
<b>District 1</b>									
1959	295	-	54	10	8	0	16	12	100
1960	363	-	48	21	7	0	16	8	100
1961	296	-	61	13	7	1	5	13	100
1962	247	2	60	16	4	0	3	15	100
1963	-	4	64	13	4	2	4	9	100
<b>District 2</b>									
1959	38	-	6	3	8	42	0	41	100
1960	37	-	11	8	12	37	0	32	100
1961	26	-	15	4	11	38	0	32	100
1962	25	21	21	3	9	33	1	12	100
1963	-	25	23	1	10	28	0	13	100
<b>District 3</b>									
1959	46	-	35	2	13	15	2	33	100
1960	54	-	33	7	21	6	-	33	100
1961	44	-	43	5	16	12	0	24	100
1962	33	1	35	6	17	9	-	32	100
1963	-	12	38	4	21	8	-	17	100
<b>State</b>									
1959	379	-	48	8	9	5	13	17	100
1960	454	-	42	18	9	5	12	14	100
1961	366	-	54	12	9	6	4	15	100
1962	305	3	52	14	6	4	3	18	100
1963	-	6	58	11	6	5	4	10	100

0 Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



Table 21. Oklahoma: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1963.

District and County	Gins	1962 Ginnings	DeKalb	DPL Smooth Leaf	Lankart	Northern Star	Parrot	Stoneville	Western Storm-proof	Other <u>1/</u>	Total
	<u>Number</u>	<u>1,000 bales</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
District 1											
Beckham	12	35.3	-	-	48	9	6	-	25	12	100
Blaine	5	4.0	31	-	33	28	3	1	1	3	100
Caddo	16	26.6	-	1	79	3	12	-	-	5	100
Comanche	3	1.5	-	-	70	11	14	-	-	5	100
Cotton	3	2.1	-	-	46	2	45	-	-	7	100
Custer	4	11.5	-	-	95	1	-	-	1	3	100
Greer	7	17.0	4	7	65	11	4	-	4	5	100
Harmon	7	24.2	-	4	34	38	-	15	1	8	100
Jackson	15	34.8	-	18	36	29	-	4	-	13	100
Kiowa	9	22.6	-	-	84	11	-	-	-	5	100
Roger Mills	3	5.8	-	-	35	8	7	-	29	21	100
Tillman	13	26.6	-	-	87	6	4	-	1	2	100
Washita	11	32.8	7	-	84	1	-	-	1	7	100
All Other	1	2.1	-	-	88	3	-	-	3	6	100
Total	109	246.9	2	4	64	13	4	2	4	7	100
District 2											
Canadian	5	3.8	-	1	83	-	5	4	2	5	100
Logan	3	1.2	1	-	76	1	6	12	-	4	100
Muskogee	7	9.3	10	46	4	-	1	29	-	10	100
All Other	14	10.9	4	18	12	2	19	38	-	7	100
Total	29	25.2	5	25	23	1	10	28	*	8	100
District 3											
Bryan	4	5.6	1	-	35	14	1	43	2	4	100
Grady	8	7.5	-	-	91	-	-	4	1	4	100
Jefferson	3	4.0	-	4	-	11	4	48	22	11	100
All Other	10	15.4	24	9	24	7	6	15	10	5	100
Total	25	32.5	12	5	38	7	4	21	8	5	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.








Table 22. Texas: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1959-63.

District and state	Ginnings	Acala	American Egyptian	Anton	Blight Master	Delta-pine	DPL Smooth Leaf	Gregg	Lankert	Northern Star	Pay-master	Qualla	Rilecot	Stone-ville	TPSA	Western Storm-proof	Other 1/	Total
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1,000																		
District 1	Bales																	
1959	1,897	6	-	2	3	1	-	10	50	2	12	1	-	-	-	4	9	100
1960	1,956	5	-	1	1	-	-	18	51	3	5	-	-	-	-	5	11	100
1961	2,378	3	-	1	2	-	-	20	42	3	5	1	-	-	6	8	9	100
1962	2,321	2	-	-	2	-	-	34	30	1	10	2	-	-	4	7	8	100
1963	-	1	-	-	2	-	-	41	21	-	25	1	2	-	2	3	2	100
District 2																		
1959	599	3	-	-	1	2	-	1	28	10	2	-	-	-	-	40	13	100
1960	722	1	-	-	-	1	-	4	28	13	1	1	-	-	-	36	15	100
1961	809	2	-	-	-	1	-	7	24	14	3	2	-	-	-	34	13	100
1962	612	1	-	-	1	-	-	8	27	12	5	1	-	-	4	29	12	100
1963	-	-	-	-	-	-	-	7	30	15	5	1	-	-	4	29	9	100
District 3																		
1959	12	-	-	-	1	-	-	-	40	2	-	-	-	-	-	14	43	100
1960	16	-	-	-	-	-	-	-	52	3	-	-	-	-	-	21	24	100
1961	16	-	-	1	-	-	-	-	42	1	1	-	-	-	-	30	25	100
1962	11	-	-	2	-	-	-	-	42	6	3	-	-	-	-	32	15	100
1963	-	-	-	2	-	-	-	1	39	2	-	-	-	-	-	29	27	100
District 4																		
1959	473	-	-	-	-	2	-	-	64	13	-	8	-	-	-	-	13	100
1960	446	-	-	2	-	3	-	-	67	12	-	-	-	-	-	-	12	100
1961	405	-	-	4	-	3	-	-	70	8	-	2	-	-	2	-	11	100
1962	437	-	-	2	1	1	-	1	74	5	-	1	-	-	2	-	13	100
1963	-	-	-	4	1	3	-	-	76	5	-	1	-	-	3	-	7	100
District 5																		
1959	124	1	-	-	1	63	-	-	8	2	-	8	-	-	-	-	17	100
1960	119	-	-	-	-	61	-	-	14	5	-	4	-	-	-	-	16	100
1961	99	1	-	-	-	65	-	-	13	6	-	4	-	-	-	-	11	100
1962	102	-	-	-	-	25	42	-	11	4	-	1	-	-	-	-	13	100
1963	-	-	-	-	-	25	46	-	10	4	-	2	-	-	-	-	6	100
District 6																		
1959	291	87	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	100
1960	272	87	11	-	-	1	-	-	-	-	-	-	-	-	-	-	1	100
1961	309	67	9	-	-	-	15	-	2	-	-	-	-	1	-	-	6	100
1962	268	61	13	-	-	-	3	-	7	1	-	-	-	11	-	-	4	100
1963	-	50	21	-	1	-	9	-	7	1	-	-	-	9	-	-	2	100
District 7																		
1959	50	8	-	-	-	-	-	-	34	-	-	-	-	-	-	39	16	100
1960	54	5	-	-	-	-	-	-	29	-	-	-	-	-	-	52	8	100
1961	59	3	-	-	-	-	-	-	51	-	-	-	-	-	-	39	4	100
1962	28	-	-	-	-	-	-	1	41	-	1	6	-	-	6	44	1	100
1963	-	1	-	-	1	-	1	1	50	-	-	4	-	-	2	35	5	100
District 8																		
1959	303	-	-	2	1	14	-	-	28	8	-	4	-	3	-	-	40	100
1960	264	-	-	6	1	15	-	-	30	8	-	6	-	8	1	-	25	100
1961	246	-	-	5	-	12	-	-	28	3	-	2	-	18	1	-	31	100
1962	282	-	-	4	-	6	8	-	27	4	-	1	-	20	3	-	27	100
1963	-	-	-	5	1	3	8	-	32	3	-	2	-	28	3	-	15	100
District 9																		
1959	151	2	-	-	-	82	-	-	5	1	-	-	-	1	-	-	9	100
1960	105	-	-	-	-	80	-	-	8	2	-	-	-	2	-	-	8	100
1961	100	-	-	-	-	76	-	-	4	2	-	-	-	5	1	-	12	100
1962	202	-	-	-	-	30	16	-	5	1	-	-	-	24	5	-	19	100
1963	-	-	-	-	-	11	33	-	4	1	-	-	-	39	2	-	10	100
District 10																		
1959	503	4	-	-	-	35	-	-	1	3	1	-	-	25	-	-	31	100
1960	391	2	-	-	-	42	-	-	1	1	-	1	-	32	-	-	21	100
1961	380	-	-	-	-	43	-	-	1	1	-	-	-	42	-	-	13	100
1962	473	-	-	-	-	27	6	-	2	2	-	-	-	53	-	-	10	100
1963	-	-	-	-	-	19	4	-	3	1	-	1	-	62	-	-	10	100
State																		
1959	4,403	9	1	1	2	11	-	5	35	4	5	2	-	3	-	8	14	100
1960	4,345	8	1	1	1	11	-	8	36	5	2	1	-	4	-	7	15	100
1961	4,801	6	1	1	1	9	1	10	33	5	3	1	-	5	3	10	11	100
1962	4,736	5	1	1	1	4	2	19	31	3	6	1	-	7	3	9	7	100
1963	-	4	1	1	1	3	4	21	24	3	12	1	1	11	2	6	5	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



Table 23. Texas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1963.

District and County	Gins	1962 Ginnings	Acala 1517BR	Blight Master	Gregg	Lankart	Pay-master	Qualla	Rilecot	TPSA	Western Storm-proof	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1													
Bailey	21	113.2	-	-	87	3	7	-	1	-	-	2	100
Briscoe	7	20.0	-	-	25	14	18	-	4	-	8	31	100
Castro	14	70.8	-	-	68	-	15	-	11	-	-	6	100
Cochran	14	79.5	-	-	93	2	-	-	5	-	-	-	100
Crosby	20	160.7	-	-	12	59	17	1	-	1	-	10	100
Dawson	25	137.7	-	2	11	42	13	3	-	-	27	2	100
Deaf Smith	3	10.2	-	-	81	-	5	-	10	-	-	4	100
Floyd	22	113.1	-	-	5	33	58	-	-	1	-	3	100
Gaines	13	73.2	-	19	51	8	10	-	-	-	-	12	100
Glasscock	3	9.8	30	10	-	15	-	10	-	-	12	23	100
Hale	35	214.7	-	-	26	5	69	-	-	-	-	-	100
Hockley	35	223.9	-	5	36	24	30	-	-	3	-	2	100
Howard	12	26.9	4	2	-	1	2	19	-	-	66	6	100
Lamb	34	224.4	-	-	60	6	19	-	7	5	-	3	100
Lubbock	40	296.2	-	1	32	36	29	-	-	-	-	2	100
Lynn	25	160.3	-	2	35	35	8	7	-	10	1	2	100
Martin	12	44.8	41	3	3	8	-	5	-	-	33	7	100
Midland	3	13.5	15	45	-	15	-	5	-	-	15	5	100
Parmer	16	80.3	-	-	54	-	38	-	8	-	-	-	100
Swisher	12	52.9	-	-	45	-	47	-	-	-	-	8	100
Terry	21	150.7	-	2	70	16	6	1	1	2	-	2	100
Yoakum	9	42.3	-	-	73	17	-	-	-	5	-	5	100
All Other	3	2.1	-	-	21	27	10	-	27	-	13	2	100
Total	399	2,321.2	1	2	41	21	25	1	2	2	3	2	100

Gregg	Lankart	Locketts	Northern Star	Parrot	Pay-master	Qualla	TPSA	Western Storm-proof	Other 1/	Total			
District 2													
Baylor	3	8.2	-	44	-	-	-	2	46	8	100		
Childress	5	22.9	-	31	-	27	-	-	36	6	100		
Collingsworth	8	37.7	30	23	3	20	-	18	-	5	1	100	
Cottle	6	18.1	-	28	2	34	-	31	-	-	4	1	100
Dickens	7	31.2	2	55	-	-	-	4	7	21	9	2	100
Donley	4	11.8	49	2	9	16	-	15	-	-	7	2	100
Fisher	8	37.1	-	3	-	2	-	2	-	-	89	4	100
Foard	4	5.7	-	22	28	39	-	1	-	-	-	10	100
Garza	6	20.1	9	34	-	-	-	6	-	5	44	2	100
Hall	14	61.3	26	7	14	25	-	13	-	-	11	4	100
Hardeman	5	13.5	-	46	15	26	-	-	-	-	-	13	100
Haskell	12	56.2	-	34	-	45	-	3	-	8	5	5	100
Jones	16	47.2	-	80	-	10	-	-	1	-	7	2	100
Knox	8	25.1	11	27	-	2	-	1	-	27	17	15	100
Mitchell	9	30.0	-	-	-	-	-	-	3	-	89	8	100
Motley	4	15.9	-	26	13	5	19	5	-	-	25	7	100
Nolan	6	22.7	-	12	-	8	-	-	1	-	66	13	100
Runnels	15	32.7	-	53	-	-	-	-	-	7	34	6	100
Scurry	9	45.1	-	1	-	-	-	6	1	-	87	5	100
Stonewall	3	5.6	-	72	-	-	-	-	-	-	25	3	100
Taylor	6	8.3	5	36	-	-	-	5	6	-	44	4	100
Wheeler	6	13.9	46	13	7	24	-	2	-	-	-	8	100
Wilbarger	10	20.3	-	42	20	32	-	-	1	2	-	3	100
All Other	7	21.4	5	46	1	12	1	4	3	1	22	5	100
Total	181	612.0	7	30	4	15	1	5	1	4	29	4	100

Anton	Gregg	Lankart	Locketts	Northern Star	Western Storm-proof	Other 1/	-----	-----	-----	Total			
District 3													
Total	12	11.4	2	1	39	23	2	29	4	-	-	-	100

Anton	Delta-pine	Lankart	Northern Star	Qualla	Rex	Storm King	TPSA	Watson	Other 1/	Total			
District 4													
Bell	15	16.4	23	-	67	1	2	-	-	-	-	7	100
Collin	20	45.1	-	-	81	9	-	1	-	9	-	-	100
Coryell	3	4.0	-	-	93	-	-	-	-	-	-	7	100
Dallas	3	5.6	-	-	63	-	-	-	-	-	36	1	100
Delta	6	14.9	-	16	62	10	-	12	-	-	-	-	100
Denton	4	6.1	-	-	95	5	-	-	-	-	-	-	100
Ellis	29	62.1	-	-	78	8	1	-	-	1	9	3	100
Falls	13	13.7	4	16	72	1	2	-	-	-	-	5	100
Fannin	15	20.3	-	15	82	-	-	2	-	-	-	1	100
Grayson	7	11.7	-	-	71	20	-	-	-	-	-	9	100
Hill	22	33.7	2	-	89	1	-	-	2	4	-	2	100
Hunt	17	24.6	-	-	79	3	1	1	8	7	1	-	100
Johnson	7	10.9	-	-	99	-	-	-	-	-	-	1	100
Kaufman	8	16.1	-	-	91	-	3	-	-	5	-	1	100
Lamar	10	18.1	-	36	37	8	-	15	4	-	-	-	100
Limestone	4	3.0	-	3	67	4	20	-	-	-	-	6	100
McLennan	18	25.5	4	-	86	4	1	-	-	-	-	5	100
Milam	9	15.8	9	-	75	-	1	-	-	-	-	15	100
Navarro	15	20.3	2	-	87	9	-	-	-	-	2	-	100
Rockwall	5	7.8	-	-	53	-	-	4	30	13	-	-	100
Tarrant	5	6.6	-	-	62	15	-	-	-	-	23	-	100
Williamson	32	46.9	22	-	63	1	-	-	1	4	-	9	100
All Other	6	7.7	-	-	82	5	5	-	4	-	-	4	100
Total	273	436.9	4	3	76	5	1	1	2	3	2	3	100

Table 23. Texas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1963 - continued.

District and County	Gins	1962 Ginnings	Delta-pine	DPL Smooth Leaf	Lankart	Northern Star	Qualla	Rex	Stone-ville	TPSA	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 5												
Brazos	8	26.2	31	59	-	-	-	-	7	-	3	100
Grimes	5	7.7	6	80	-	-	-	-	7	-	7	100
Harrison	3	1.0	99	-	-	-	-	-	-	-	1	100
Hopkins	4	2.6	-	-	96	1	-	-	-	-	3	100
Red River	4	5.4	-	-	40	32	9	8	-	5	6	100
Robertson	7	30.7	33	51	-	-	-	-	10	-	6	100
All Other	31	28.5	20	33	21	8	4	2	5	-	7	100
Total	62	102.1	25	46	10	4	2	1	7	*	5	100
			Acala 1517BR	Acala 1517C	Acala 1517D	DPL Smooth Leaf	Lankart	Pima S-1	Pima S-2	Stone-ville	Other 1/	Total
District 6												
El Paso	23	86.4	-	14	36	-	1	16	33	-	-	100
Hudspeth	8	24.0	1	36	55	-	-	4	4	-	-	100
Pecos	9	39.6	26	40	2	6	10	-	-	8	8	100
Reeves	20	102.2	2	29	-	21	13	1	10	18	6	100
All Other	5	15.4	-	52	10	9	10	-	-	12	7	100
Total	65	267.6	4	28	18	9	7	6	15	9	4	100
			Blight Master	Gregg	Lankart	Qualla	TPSA	Western Storm-proof	Other 1/	----	----	Total
District 7												
McCulloch	5	4.0	-	6	17	3	-	67	7	-	-	100
Tom Green	7	14.2	-	-	74	5	3	13	5	-	-	100
All Other	5	9.9	3	-	32	4	-	52	9	-	-	100
Total	17	28.1	1	1	50	4	2	35	7	-	-	100
			Anton	Delfos	Delta-pine	DPL Smooth Leaf	Lankart	Northern Star	Stone-ville	TPSA	Other 1/	Total
District 8												
Austin	13	11.9	2	-	19	28	17	-	17	-	17	100
Bastrop	3	2.5	35	-	2	-	53	-	2	-	8	100
Bee	4	6.0	2	-	-	-	48	1	10	6	33	100
Burleson	8	15.7	1	-	26	45	2	-	20	-	6	100
Caldwell	5	8.4	50	-	2	-	18	-	4	20	6	100
Colorado	3	8.5	6	-	10	19	26	-	29	-	10	100
De Witt	3	3.4	4	-	-	-	79	6	-	-	11	100
Fayette	7	7.0	20	-	-	-	56	-	4	-	20	100
Guadalupe	5	7.4	-	-	-	-	63	-	-	-	37	100
Hays	4	4.4	5	-	-	-	64	-	-	22	9	100
Karnes	5	9.7	19	-	-	-	71	-	-	5	5	100
Lavaca	10	12.1	6	-	-	4	66	3	-	-	21	100
Lee	3	2.3	27	-	-	-	55	-	-	-	18	100
Nueces	29	62.5	-	26	1	2	3	2	60	2	4	100
Refugio	4	15.7	-	-	-	4	33	-	58	1	4	100
San Patricio	21	78.0	-	3	-	3	49	7	30	3	5	100
Travis	6	7.6	24	-	-	-	64	-	-	-	12	100
Washington	9	7.8	-	-	15	15	20	-	27	-	23	100
All Other	5	11.3	1	-	-	37	13	-	6	11	32	100
Total	147	282.2	5	7	3	8	32	3	28	3	11	100
			DeKalb	Delta-pine	DPL Smooth Leaf	Lankart	Northern Star	Stone-ville	TPSA	Other 1/	----	Total
District 9												
Brazoria	5	16.3	6	14	44	-	-	27	-	9	-	100
Calhoun	5	15.6	-	4	84	2	2	5	2	1	-	100
Fort Bend	17	58.0	-	8	30	-	-	54	-	8	-	100
Jackson	6	11.7	1	35	28	-	-	13	14	9	-	100
Matagorda	7	13.9	-	15	47	-	-	36	-	2	-	100
Victoria	7	14.4	1	1	4	51	10	5	11	17	-	100
Wharton	20	71.1	6	11	25	-	-	52	-	6	-	100
All Other	1	1.0	-	50	25	-	-	15	-	10	-	100
Total	68	202.0	3	11	33	4	1	39	2	7	-	100
			Delfos	Delta-pine	DPL Smooth Leaf	Lankart	Northern Star	Qualla	Stone-ville	Storm King	Other 1/	Total
District 10												
Cameron	38	166.8	2	20	-	-	1	-	64	1	12	100
Hidalgo	34	173.2	-	22	-	3	2	-	66	-	7	100
Jim Wells	4	9.3	8	-	2	20	8	20	33	3	6	100
Starr	3	7.5	-	5	-	13	6	4	40	13	19	100
Willacy	17	80.8	-	18	-	2	-	-	70	-	10	100
Zavala	4	18.1	-	-	71	11	-	-	13	-	5	100
All Other	9	16.9	-	22	38	22	-	1	7	1	9	100
Total	109	472.6	1	20	4	3	1	1	61	1	8	100

\* Less than 0.5 percent.  
1/ Includes small acreages planted to varieties other than those specified.



Table 24. Other Southeastern and South Central States: Estimated percentage of cotton acreage planted to specified varieties, by states, 1959-63.

State and Year	Ginnings	Auburn	Coker 100	DeKalb	Delta-pine	DPL Smooth Leaf	Empire	Fox	Plains	Rex	Wannamaker All-in-one	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Virginia													
1959	11	-	95	-	°	-	5	-	-	-	-	-	100
1960	9	-	87	-	-	-	13	-	-	-	-	-	100
1961	8	-	65	-	-	-	5	-	-	30	-	-	100
1962	6	-	50	1	-	-	-	-	-	49	-	-	100
1963	-	-	72	5	-	-	°	-	-	23	-	-	100
Florida													
1959	9	-	62	-	2	-	15	-	13	-	-	8	100
1960	11	4	39	-	2	-	17	-	23	-	-	15	100
1961	9	24	42	1	-	-	11	-	14	-	8	-	100
1962	12	17	45	6	1	-	13	-	11	-	5	2	100
1963	-	24	50	10	-	-	8	-	3	-	4	1	100
Kentucky													
1959	8	-	-	-	82	-	-	13	-	-	-	5	100
1960	6	-	-	-	46	28	-	14	-	8	-	4	100
1961	4	-	-	-	21	54	-	23	-	-	-	2	100
1962	5	-	-	1	26	47	-	12	-	10	-	4	100
1963	-	-	-	-	-	62	-	3	-	30	-	5	100
Illinois													
1959	1	-	-	-	-	-	38	62	-	-	-	-	100
1960	1	-	-	-	-	-	30	48	-	22	-	-	100
1961	**	-	-	-	-	-	7	77	-	16	-	-	100
1962	2	-	-	-	-	3	7	59	-	31	-	-	100
1963	-	-	-	-	-	-	2	57	-	41	-	-	100

\* Less than 0.5 percent.

\*\* Less than 500 bales.

1/ Includes small acreages planted to varieties other than those specified.

Table 25. Western Area: Estimated percentage of cotton acreage planted to specified varieties, by states, 1959-63.

State and Year	Ginnings	Acala 4-42	Acala 44	Acala 1517BR	Acala 1517C	Acala 1517D	DPL Smooth Leaf	Gregg	Lankart	Pima S-2	Stoneville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona													
1959	720	6	81	-	7	-	-	-	-	-	-	6	100
1960	849	13	50	-	9	-	1	-	-	-	°	27	100
1961	824	11	6	-	7	°	71	-	-	1	°	4	100
1962	936	2	4	-	2	4	79	-	-	5	4	-	100
1963	-	2	1	-	2	3	79	-	-	9	4	°	100
California													
1959	1,947	92	°	-	-	-	1	-	-	-	-	7	100
1960	1,954	93	1	-	°	-	6	-	-	-	°	°	100
1961	1,709	89	°	-	-	-	11	-	-	-	°	°	100
1962	1,935	89	-	-	-	-	11	-	-	-	-	°	100
1963	-	87	-	-	-	-	13	-	-	-	-	°	100
Nevada													
1959	-	-	-	-	-	-	-	-	-	-	-	-	-
1960	5	-	-	-	100	-	-	-	-	-	-	-	100
1961	6	-	-	-	100	-	-	-	-	-	-	-	100
1962	7	-	-	-	49	49	-	-	-	-	-	2	100
1963	-	1	-	-	34	33	9	-	-	-	10	13	100
New Mexico													
1959	303	-	-	13	73	-	-	1	4	-	°	9	100
1960	270	-	-	8	78	°	-	°	1	-	°	13	100
1961	277	-	°	3	73	9	°	4	1	°	3	7	100
1962	247	-	-	2	22	55	°	12	°	2	°	7	100
1963	-	-	-	5	22	41	°	11	4	5	°	12	100
Texas - District 6													
1959	291	°	°	11	75	-	-	-	-	-	-	14	100
1960	272	-	1	17	69	-	-	-	-	-	-	13	100
1961	309	°	-	3	59	5	15	-	2	-	-	16	100
1962	268	1	-	2	41	17	3	-	7	9	11	9	100
1963	-	-	-	4	28	18	9	-	7	15	9	10	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



Table 26. Western Area: Estimated percentage of cotton acreage planted to specified varieties, by states and counties, crop of 1963.

States and Counties	Gins	1962 Ginnings	Acala 4-42	Acala 44	Acala 1517C	Acala 1517D	DPL Smooth Leaf	Pima S-2	Stoneville	Other 1/	----	Total
		1,000										
	<u>Number</u>	<u>bales</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
<b>Arizona</b>												
Cochise	6	25.9	-	-	47	51	-	-	-	2	-	100
Graham	5	33.1	-	-	9	30	-	60	-	1	-	100
Maricopa	56	375.6	1	2	-	-	87	9	1	*	-	100
Pima	12	60.3	24	1	5	*	18	13	34	5	-	100
Pinal	52	354.0	1	1	-	-	89	4	4	1	-	100
Yuma	12	81.6	1	-	-	-	97	-	2	-	-	100
All Other	1	5.0	-	-	5	95	-	-	-	-	-	100
Total	144	935.5	2	1	2	3	79	9	4	*	-	100
			Acala 4-42	Acala Strain A	DPL Smooth Leaf	Stoneville	Other 1/	----	----	----	----	Total
<b>California</b>												
Fresno	74	479.9	100	-	-	-	-	-	-	-	-	100
Imperial	17	181.4	-	1	98	1	-	-	-	-	-	100
Kern	65	525.4	100	-	-	-	-	-	-	-	-	100
Kings	27	216.6	100	-	-	-	-	-	-	-	-	100
Madera	18	90.8	100	-	-	-	-	-	-	-	-	100
Merced	10	70.0	100	-	-	-	-	-	-	-	-	100
Riverside	8	74.1	2	-	97	1	-	-	-	-	-	100
Tulare	45	296.6	100	-	-	-	-	-	-	-	-	100
Total	264	1,934.8	87	*	13	*	-	-	-	-	-	100
			Acala 1517BR	Acala 1517C	Acala 1517D	Empire	Gregg	Lankart	Paymaster	Pima S-2	Other 1/	Total
<b>New Mexico</b>												
Chaves	10	45.5	5	23	56	12	-	-	-	-	4	100
Dona Ana	22	65.4	*	19	55	-	-	-	-	17	9	100
Eddy	11	40.3	11	40	47	-	-	-	-	-	2	100
Hidalgo	4	11.3	-	60	40	-	-	-	-	-	-	100
Lea	11	31.7	14	*	-	4	33	25	13	-	11	100
Luna	6	25.1	-	25	75	-	-	-	-	-	-	100
Roosevelt	5	18.8	-	-	-	-	69	6	10	-	15	100
All Other	4	8.5	*	53	1	-	41	-	1	-	4	100
Total	73	246.6	5	22	41	3	11	4	3	5	6	100
			Acala 1517BR	Acala 1517C	Acala 1517D	DPL Smooth Leaf	Lankart	Pima S-1	Pima S-2	Stoneville	Other 1/	Total
<b>Texas</b>												
<b>District 6</b>												
El Paso	23	86.4	-	14	36	-	1	16	33	-	-	100
Hudspeth	8	24.0	1	36	55	-	-	4	4	-	-	100
Pecos	9	39.6	26	40	2	6	10	-	-	8	4	100
Reeves	20	102.2	2	29	-	21	13	1	10	18	6	100
All Other	5	15.4	-	52	10	9	10	-	-	12	7	100
Total	65	267.6	4	28	18	9	7	6	15	9	4	100

\* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.









NATIONAL AGRICULTURAL LIBRARY



1022919559

